

Blower Pack Unit V/P Part# 90cfm-12365 124cfm-12453

Electrical: 20 amp Circuit 11.0 amp Peak/Start-up 9.0 amp Running current

Weight: 40 lbs.









Α	В	С	D	E	F	G	Н	1
8.00	10.98	4.00	3.42	6.83	3.00	17.30	11.00	7.83

Rev - 3.0 05-13-14



Blower Pack, 248 CFM Part# 12346

Electrical: 30 amp Circuit


24.2 amp Peak/Start-up 18.0 amp Running current

Weight: 65 lbs.









Α	В С		D E		F	G	Н
10.00	4.00	6.88	13.50	10.00	6.75	1.50	18.25


Rev 1.0 08-02-08



Blower Pack, 248 CFM w/ Air Shifter Part# 12328

power requirements: operating temperature: 120 VAC 25°C

30A max





Α	В	С	D	E	F	G	Н	1
6.63	14.44	8.00	20.25	19.75	4.00	9.50	4.00	10.00


Rev 2.0 03-06-09



Blower, APU 372 CFM A/S Part# 12910 w/o power supply Part# 12974 w power supply power requirements: 120 VAC 40A max operating temperature: 25° C







weight 78 lbs.		bs.								
Α	В	С	D	E	F	G	Н	1	J	K
17.50	14.44	8.00	19.00	6.50	20.25	19.75	4.00	9.5	4.00	11.25

Rev 3.0 11-01-10

